

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Laboratory Certification IDs

CT: PH-0411, NH: 2239, NY: 11867, PA: 68-05519, RI: LAO00339, MA: M-CT004
See website, www.rwalab.com/complete-analyte-list, for certified analyte list.

Client:

Waterbury Water Department
21 East Aurora Street

Waterbury, CT 06708

ANALYTICAL REPORT

RWA: FEE-WATERBURY-25-000185

Report Date: 12/18/2025

This report shall not be reproduced except in full, without the written approval of the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included. This report contains results for the analysis tested as described on the Chain Of Custody (COC), as received by the laboratory.

The COC form has been scanned to accompany the analytical report and is an exact copy of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact RWA Client Services at (203) 401-6743 or (877) 894-5773. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

A handwritten signature in black ink, appearing to read "Richard Sibley".

Richard Sibley
Laboratory Manager
Technical Representative

SAMPLE SUMMARY

Sample ID	Text ID	Customer ID	Collection Date/Time	Receipt Date
300777671	CT1510011-00600-WB W003-300777671	65. WATER DEPT	12/17/2025 7:35:00AM	12/17/25
300777672	CT1510011-00600-WB W007-300777672	66. VALERO	12/17/2025 7:55:00AM	12/17/25
300777673	CT1510011-00600-WB W008-300777673	67. BUNKER HILL	12/17/2025 8:10:00AM	12/17/25
300777674	CT1510011-00600-WB W019-300777674	68. PUL. ASSOC	12/17/2025 8:25:00AM	12/17/25
300777675	CT1510011-00600-WB W009-300777675	69. PARK RD	12/17/2025 8:40:00AM	12/17/25
300777676	CT1510011-00600-WB W094-300777676	70. DAVITA-WEST	12/17/2025 8:55:00AM	12/17/25
300777677	CT1510011-00600-WB W016-300777677	71. HIGHLAND	12/17/2025 9:10:00AM	12/17/25
300777678	CT1510011-00600-WB W096-300777678	72. MUNICIPAL RD	12/17/2025 9:30:00AM	12/17/25
300777679	CT1510011-00600-WB W005-300777679	73. BALDWIN	12/17/2025 9:45:00AM	12/17/25
300777680	CT1510011-00600-WB W018-300777680	74. WASH PARK	12/17/2025 10:00:00AM	12/17/25
300777681	CT1510011-00600-WB W015-300777681	75. W CROSS	12/17/2025 10:20:00AM	12/17/25
300777682	CT1510011-00600-WB W024-300777682	76. WOLCOTT	12/17/2025 12:10:00PM	12/17/25
300777683	NONE-300777683	SP12-01 WTBY HOSP.	12/17/2025 11:00:00AM	12/17/25
300777684	NONE-300777684	SP12-02 St.MARY's	12/17/2025 11:45:00AM	12/17/25
300777685	CT1510011-00600-WB W017-300777685	77. WILLOW	12/17/2025 9:10:00AM	12/17/25
300777686	CT1510011-00600-WB W001-300777686	78. FIELD ST	12/17/2025 9:35:00AM	12/17/25
300777687	CT1510011-00600-WB W004-300777687	79. N MAIN REC	12/17/2025 9:55:00AM	12/17/25
300777688	CT1510011-00600-WB W002-300777688	80. E MAIN & ORANGE	12/17/2025 10:15:00AM	12/17/25
300777689	CT1510011-00600-WB W014-300777689	81. BIRCH ST	12/17/2025 10:35:00AM	12/17/25
300777690	CT1510011-00600-WB W020-300777690	82. E MAIN FH	12/17/2025 11:00:00AM	12/17/25
300777691	CT1510011-00600-WB W021-300777691	83. WALNUT	12/17/2025 11:25:00AM	12/17/25
300777692	CT1510011-00600-WB W022-300777692	84. GENERALI	12/17/2025 11:50:00AM	12/17/25
300777693	CT1510011-00600-WB W012-300777693	85. ROTELLA	12/17/2025 12:20:00PM	12/17/25
300777694	CT1510011-00600-WB W013-300777694	86. HAVEN HEALTH	12/17/2025 12:30:00PM	12/17/25

Case Narrative

General Comments:

See the Result Page section for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below .

The samples were received at the approximate temperature and in accordance with the chain of custody unless otherwise noted.

All analytical pH measurements conducted in the lab are compensated to 25°C.

Alkalinity results less than 20 mg/L are below the Limit of Quantitation and are considered estimated results .

J = The reported result is below Minimum Reporting Level but greater than the Method Detection Limit. The reported result is an estimate.

E = Exceeds calibration range

ND = Non Detect

RL = Minimum Reporting Level

Result Page:

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW003-300777671

Sample ID: 300777671

Customer ID: 65. WATER DEPT

Collection Date: 12/17/2025 7:35

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.03		mg/L	1			12/17/25 7:35	SG
Water Temperature FLX	9		C	1			12/17/25 7:35	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW007-300777672

Sample ID: 300777672

Customer ID: 66. VALERO

Collection Date: 12/17/2025 7:55

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	0.65		mg/L	1			12/17/25 7:55	SG
Water Temperature FLX	8		C	1			12/17/25 7:55	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW008-300777673

Sample ID: 300777673

Customer ID: 67. BUNKER HILL

Collection Date: 12/17/2025 8:10

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.13		mg/L	1			12/17/25 8:10	SG
Water Temperature FLX	13		C	1			12/17/25 8:10	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW019-300777674

Sample ID: 300777674

Customer ID: 68. PUL. ASSOC

Collection Date: 12/17/2025 8:25

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.50		mg/L	1			12/17/25 8:25	SG
Water Temperature FLX	6		C	1			12/17/25 8:25	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW009-300777675

Sample ID: 300777675

Customer ID: 69. PARK RD

Collection Date: 12/17/2025 8:40

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.28		mg/L	1			12/17/25 8:40	SG
Water Temperature FLX	7		C	1			12/17/25 8:40	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW094-300777676

Sample ID: 300777676

Customer ID: 70. DAVITA-WEST

Collection Date: 12/17/2025 8:55

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.26		mg/L	1			12/17/25 8:55	SG
Water Temperature FLX	7		C	1			12/17/25 8:55	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW016-300777677

Sample ID: 300777677

Customer ID: 71. HIGHLAND

Collection Date: 12/17/2025 9:10

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.26		mg/L	1			12/17/25 9:10	SG
Water Temperature FLX	10		C	1			12/17/25 9:10	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW096-300777678

Sample ID: 300777678

Customer ID: 72. MUNICIPAL RD

Collection Date: 12/17/2025 9:30

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	0.54		mg/L	1			12/17/25 9:30	SG
Water Temperature FLX	13		C	1			12/17/25 9:30	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW005-300777679

Sample ID: 300777679

Customer ID: 73. BALDWIN

Collection Date: 12/17/2025 9:45

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.16		mg/L	1			12/17/25 9:45	SG
Water Temperature FLX	14		C	1			12/17/25 9:45	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
 203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW018-300777680

Sample ID: 300777680

Customer ID: 74. WASH PARK

Collection Date: 12/17/2025 10:00

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.34		mg/L	1			12/17/25 10:00	SG
Water Temperature FLX	13		C	1			12/17/25 10:00	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW015-300777681

Sample ID: 300777681

Customer ID: 75. W CROSS

Collection Date: 12/17/2025 10:20

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	0.43		mg/L	1			12/17/25 10:20	SG
Water Temperature FLX	12		C	1			12/17/25 10:20	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW024-300777682

Sample ID: 300777682

Customer ID: 76. WOLCOTT

Collection Date: 12/17/2025 12:10

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.79		mg/L	1			12/17/25 12:10	SG
Water Temperature FLX	9		C	1			12/17/25 12:10	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: NONE-300777683

Sample ID: 300777683

Customer ID: SP12-01 WTBY HOSP.

Collection Date: 12/17/2025 11:00

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.60		mg/L	1			12/17/25 11:00	SG
Water Temperature FLX	6		C	1			12/17/25 11:00	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
 203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: NONE-300777684

Sample ID: 300777684

Customer ID: SP12-02 St.MARY's

Collection Date: 12/17/2025 11:45

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.21		mg/L	1			12/17/25 11:45	SG
Water Temperature FLX	8		C	1			12/17/25 11:45	SG

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW017-300777685

Sample ID: 300777685

Customer ID: 77. WILLOW

Collection Date: 12/17/2025 9:10

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.61		mg/L	1			12/17/25 9:10	KR
Water Temperature FLX	5		C	1			12/17/25 9:10	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
 203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW001-300777686

Sample ID: 300777686

Customer ID: 78. FIELD ST

Collection Date: 12/17/2025 9:35

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	0.25		mg/L	1			12/17/25 9:35	KR
Water Temperature FLX	12		C	1			12/17/25 9:35	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW004-300777687

Sample ID: 300777687

Customer ID: 79. N MAIN REC

Collection Date: 12/17/2025 9:55

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.34		mg/L	1			12/17/25 9:55	KR
Water Temperature FLX	8		C	1			12/17/25 9:55	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW002-300777688

Sample ID: 300777688

Customer ID: 80. E MAIN & ORANGE

Collection Date: 12/17/2025 10:15

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.27		mg/L	1			12/17/25 10:15	KR
Water Temperature FLX	11		C	1			12/17/25 10:15	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW014-300777689

Sample ID: 300777689

Customer ID: 81. BIRCH ST

Collection Date: 12/17/2025 10:35

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.17		mg/L	1			12/17/25 10:35	KR
Water Temperature FLX	7		C	1			12/17/25 10:35	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW020-300777690

Sample ID: 300777690

Customer ID: 82. E MAIN FH

Collection Date: 12/17/2025 11:00

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.39		mg/L	1			12/17/25 11:00	KR
Water Temperature FLX	7		C	1			12/17/25 11:00	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW021-300777691

Sample ID: 300777691

Customer ID: 83. WALNUT

Collection Date: 12/17/2025 11:25

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.38		mg/L	1			12/17/25 11:25	KR
Water Temperature FLX	7		C	1			12/17/25 11:25	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW022-300777692

Sample ID: 300777692

Customer ID: 84. GENERALI

Collection Date: 12/17/2025 11:50

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.33		mg/L	1			12/17/25 11:50	KR
Water Temperature FLX	8		C	1			12/17/25 11:50	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW012-300777693

Sample ID: 300777693

Customer ID: 85. ROTELLA

Collection Date: 12/17/2025 12:20

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.23		mg/L	1			12/17/25 12:20	KR
Water Temperature FLX	10		C	1			12/17/25 12:20	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

90 Sargent Drive • New Haven, Connecticut 06511-5966
203-401-6743 or 877-894-5773 (Telephone) • Website: www.rwater.com

Date Received: 12/17/2025

Text ID: CT1510011-00600-WBW013-300777694

Sample ID: 300777694

Customer ID: 86. HAVEN HEALTH

Collection Date: 12/17/2025 12:30

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Chlorine Free FLX	1.58		mg/L	1			12/17/25 12:30	KR
Water Temperature FLX	8		C	1			12/17/25 12:30	KR

Analyte	Results	RL	Units	Dilution	Qualifier	Method	Date Time/ Analyzed	Analyst
Total Coliform P/A	Absent		-	1		SM9223B-PA	12/17/25 16:10	AJS

Contact Information WATERBURY BUREAU OF WATER 21 EAST AURORA ST WATERBURY, CT 06708 Phone: 203-574-8251		SG		Sampling Address (If different from Contact information)		PWS ID: CT1510011		Compliance Sample Y / N Y		Analyses/Method Requested T.COLIFORM E.COLI HPC-P C12 RESIDUAL TEMPERATURE °C		Remarks	
Sample Collector Initials:		Date Collected		Time Collected		Client ID / Sample site		Water System Facility ID		Sampling Point ID		Enter number of bottles collected for each Method or Analysis requested	
LIMS Number (For RWA USE ONLY) 30777671		12/17/2025		7:35		65. WATER DEPT.		00600		WBW003		Y 1	
672		"		7:55		66. VALERO		00600		WBW007		Y 1	
673		"		8:10		67. BUNKER HILL		00600		WBW008		Y 1	
674		"		8:25		68. PUL. ASSOC		00600		WBW019		Y 1	
675		"		8:40		69. PARK RD		00600		WBW009		Y 1	
676		"		8:55		70. DAVITA-WEST		00600		WBW094		Y 1	
677		"		9:10		71. HIGHLAND		00600		WBW016		Y 1	
678		"		9:30		72. MUNICIPAL RD		00600		WBW096		Y 1	
679		"		9:45		73. BALDWIN		00600		WBW005		Y 1	
680		"		10:00		74. WASH PARK		00600		WBW018		Y 1	
Relinquished by (Signature): <i>[Signature]</i>		Relinquished by (Signature): <i>[Signature]</i>		Relinquished by (Signature): <i>[Signature]</i>		Relinquished by (Signature): <i>[Signature]</i>		Relinquished by (Signature): <i>[Signature]</i>		Relinquished by (Signature): <i>[Signature]</i>		Relinquished by (Signature): <i>[Signature]</i>	
Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00	
Received by (Signature): <i>[Signature]</i>		Received by (Signature): <i>[Signature]</i>		Received by (Signature): <i>[Signature]</i>		Received by (Signature): <i>[Signature]</i>		Received by (Signature): <i>[Signature]</i>		Received by (Signature): <i>[Signature]</i>		Received by (Signature): <i>[Signature]</i>	
Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00	
For RWA Sample Receipt personnel													
Evidence of Cooling (Circle) ☒ or N		Cooler/Sample Temp °C: 1.3		Sample Bottle & Preservative Lot # if applicable		Sample Receipt Comments		Comments: Call Chris ASAP w/ results 203-528-8545 Fox-waterbury-25-000185					

[illegible]

Contact Information		Sampling Address (If different from Contact information)		PWS ID:	Compliance Sample Y / N		Analyses/Method Requested				Remarks		
WATERBURY BUREAU OF WATER 21 EAST AURORA ST WATERBURY, CT 06708 Phone: 203-574-8251				CT1510011			Enter number of bottles collected for each Method or Analysis requested						
Sampler:	Sample Collector Initials:	Date Collected	Time Collected	Client ID / Sample site	Water System Facility ID	Sampling Point ID	Total Number of Bottles	T. COLIFORM	E. COLI	HPC-P	C12 RESIDUAL	TEMPERATURE °C	
KR		12/17/2025	9:10	77. WILLOW	00600	WBW017	1	✓			1.61	5°	
		"	9:35	78. FIELD ST	00600	WBW001	1	✓			0.25	12°	
		"	9:55	79. N. MAIN REC	00600	WBW004	1	✓			1.34	8°	
		"	10:15	80. E. MAIN & ORANGE	00600	WBW002	1	✓			1.27	11°	
		"	10:35	81. BIRCH ST	00600	WBW014	1	✓			1.17	7°	
		"	11:00	82. E. MAIN F.H	00600	WBW020	1	✓			1.39	7°	
		"	11:25	83. WALNUT	00600	WBW021	1	✓			1.38	7°	
		"	11:50	84. GENERALI	00600	WBW022	1	✓			1.33	8°	
		"	12:20	85. ROTELLA	00600	WBW012	1	✓			1.23	10°	
		"	12:30	86. HAVEN HEALTH	00600	WBW013	1	✓			1.58	8°	
Relinquished by (Signature):		Relinquished by (Signature):		Comments: Fee-waterbury-25-000185									
Date & Time: 12/17/2025 @ 2:00		Date & Time: 12/17/2025 @ 2:00											
Received by (Signature):		Received by (Signature):											
Date & Time: 12/17/2025 @		Date & Time: 12/17/25 1450											
For RWA Sample Receipt personnel													
Evidence of Cooling (Circle) <u>N</u> or N		Cooler/Sample Temp °C: 1.3		Sample Bottle & Preservative Lot # if applicable				Sample Receipt Comments					

Services

5 Craftsman Road
Unit #14
East Windsor, CT 06088
P.O. Box 924
Hartford, CT 06143-0924

BOL#

ANY DELAYS CONTACT

1 (860) 386-0802

★ 24 HOURS A DAY ★

[illegible]

RECIPIENT			
TO (RECIPIENT'S NAME)			
COMPANY		ROOM/FLOOR	
STREET ADDRESS			
CITY	STATE	ZIP	
SPECIAL DELIVERY INSTRUCTIONS			
RECIPIENT PRINT NAME CLEARLY		DATE	TIME
X <i>Donk</i>		12/17/25	14:50
X <i>[Signature]</i>			
RECEIVED IN GOOD ORDER BY RECIPIENT (SIGNATURE)			

RUSH - URGENT SHIPMENT

SHIPPER'S COPY-WHITE DELIVERY AGENT'S-YELLOW RECIPIENT'S COPY-PINK